

Featuring the "Purr-fect Garden" Collection by Jane Maday

Q1406

The Cat's Meow



18" x 18"
PILLOW



53" x 66"
QUILT



Fabric A
28020-425

Q: 1 Panel (2/3 yard)



Fabric B
28021-745

Q: 1 yard



Fabric C
28022-415
Q: 1/4 yard



Fabric D
28023-725
Q: 1/3 yard
P: 2/3 yard (includes backing)

Fabric E
28024-737
Q: 1 yard
P: 3/8 yard



Fabric F
28025-444
Q: 7/8 yard
P: 1/4 yard



Fabric G
28025-777
Q: 1/2 yard



Fabric H
28026-522
Q: 1 1/4 yards (includes binding)
P: 2/3 yard (includes cording)



Fabric I
28027-127
Q: 3/4 yard
P: 1/4 yard



Q = Quilt
P = Pillow



FREE
PATTERN
OFFERED
IN INDEPENDENT
QUILT SHOPS TO
COMPLEMENT THIS
FABRIC COLLECTION

"Essentials"
Fabric J
Q1817-39065-441
Q: 3 1/2 yards (backing only)



The Cat's Meow

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.

1. Cut the following:

Fabric A - **cut 3 - 11 1/2" x 11 1/2" (center designs evenly)

Fabric B - cut identical borders lengthwise:

cut 2 - 7" x 22 1/2"

cut 4 - 4 1/2" x 9"

Fabric C - cut 1 - 2 1/2" strip, subcut 16 - 2 1/2" squares (cornerstones)

Fabric D - cut 6 - 6 1/2" x 6 1/2" squares by centering designs evenly

Fabric E - Border - cut 6 - 4 1/2" strips, sew end to end then subcut 2 - 4 1/2" x 57 1/2" (SIDES) and 2 - 4 1/2" x 52 1/2" (TOP and BOTTOM)

Fabric F - cut 2 - 5 1/8" strips, subcut 12 - 5 1/8" squares, cut in half diagonally for 24 triangles

Fabric G - ** cut 4 - 1" strips, subcut 6 - 1" x 11 1/2" (SIDES) and 6 - 1" x 12 1/2" (TOP and BOTTOM)

cut 4 - 1 3/4" strips, subcut 8 - 1 3/4" x 4 1/2" (SIDES) and 8 - 1 3/4" x 11 1/2" (TOP and BOTTOM)

Fabric H - Sashing - cut 8 - 2 1/2" strips, subcut 24 - 2 1/2" x 12 1/2"


BINDING - cut 7 - 2 1/4" strips, sew end to end and press in half

Fabric I - cut 3 - 6 7/8" strips, subcut 12 - 6 7/8" squares, cut in half diagonally for 24 triangles


2. Piecing Order:

1. Sew **G** 1" borders around **A** panel blocks, SIDES first, then TOP and BOTTOM borders.


** (If panel measurements are slightly different, cut **G** borders slightly larger, sew around panel blocks, then trim all blocks to measure 12 1/2" x 12 1/2".)



2. Make 6 - 12" finished (12 1/2" unf.) Economy Patch blocks. Sew **F** triangles around **D** squares, opposite sides first. Next, sew **I** triangles to all sides, opposite sides first according to the diagram. Center triangles evenly when sewing triangles to squares.




3. Sew **G** 1 3/4" borders around four **B** - 4 1/2" x 9" rectangles, SIDES first, then TOP and BOTTOM borders. Next, sew bordered blocks to each end of both **B** 7" x 22 1/2".



4. Sew four rows of three sashing strips (**H**) alternated with four cornerstones (**C**).

5. Sew rows of blocks alternated with sashing strips (**H**) according to the diagram. Next, sew rows of blocks and rows of sashing together. Sew **B** borders (step 3) above and below quilt center. Next, sew **E** borders, SIDES first, then TOP and BOTTOM borders according to the diagram.



6. The quilt measures approximately 53" x 66". Make backing (**Fabric J**) at least 6" larger than the top. Baste together top, batting and backing. Quilt as desired. Attach binding (**Fabric H**) and enjoy!!

Pillow Instructions
 approximate size: 18" x 18"

1. Cut the following:

Fabric D - cut 1 - 6 1/2" x 6 1/2" square (center design evenly)
BACKING - cut 2 - 12 1/2" x 18 1/2"

Fabric E - cut 4 - 6 1/2" x 6 1/2" squares
 cut 4 - 3 7/8" x 3 7/8" squares, cut in half diagonally for 8 triangles


Fabric F - cut 1 - 7 1/4" x 7 1/4" square, cut in half diagonally from both directions for 4 triangles
 cut 4 - 3 1/2" x 3 1/2" squares

Fabric H - cut 1 - 7 1/4" x 7 1/4" square, cut in half diagonally from both directions for 4 triangles
 cut 4 - 3 1/2" x 3 1/2" squares
 cut 2 1/4" wide bias strips (enough to make 80"), sew strips end to end for one long strip to cover cording

Fabric I - cut 4 - 3 7/8" x 3 7/8" squares, cut in half diagonally for 8 triangles
 Filler cord for cording - 80"

2. Piecing Order:

1. Draw a diagonal line on the backside of **F** and **H** 3 1/2" squares. Place one **F** square over one **E** 6 1/2" square, right sides together, match raw edges of corners. Place one **H** square over the opposite corner of **E**, right sides together. Stitch ON the drawn diagonal lines of **F** and **H** according to the diagram. Trim 1/4" from seams, press outward. Repeat for 4 units.




2. Make 4 - 3" x 6" finished (3 1/2" x 6 1/2" unf.) Flying Geese units by sewing **E** 3 7/8" triangles to both sides of **H** 7 1/4" triangles.




3. Make 4 - 3" x 6" finished (3 1/2" x 6 1/2" unf.) Flying Geese units by sewing **I** 3 7/8" triangles to both sides of **F** 7 1/4" triangles.



4. Next, sew **F/I** geese below **H/E** geese according to the diagram for 4 units.




5. Sew pillow top together by rows according to the diagram.



6. Make approximately 80" of cording by folding bias strip (**H**) around cording, wrong sides together, matching the long raw edges of **H**. Use a zipper foot and long stitch length, baste close to the cord, encasing the cord in the fabric. Trim seam to 1/4" width.

Match raw edges of cording with raw edges of pillow top, right side up. Baste in place. Clip corners.



7. Make backing by double folding and topstitching one side of both **D** 12 1/2" x 18 1/2" backing pieces. Next, overlap both **D** backing pieces and place on pillow top, right sides together, match raw edges. Stitch 1/4" around edges. Clip corners, turn pillow right side out. Insert pillow form and enjoy!!

